



Published on *cisTEM* (<https://cistem.org>)

[Home](#) > Grouping bad images

---

# Grouping bad images

Thu, 10/17/2019 - 21:03

#1



gayayadav

Grouping bad images

Is there a way to select multiple images after CTF fitting and add them in the bad group?

Thank you.

Gaya





timgrant

Hi Gaya,

Hi Gaya,

The only way to do this is if you can select the images you want using the filter box. You can for example filter to show all images with a fit resolution worse than 5. Then click "Add all to group" to add them all to the bad group.

Thanks,

Tim



Fri, 10/25/2019 - 10:25 (Reply to #2)



gayayadav

Hello Tim,

Hello Tim,

Is there a way to export micrograph list into a text file.

thanks

Gaya

Wed, 10/30/2019 - 11:28 (Reply to #3)



timgrant

Hi Gaya,

Hi Gaya,

You can do this by directly accessing the database. Some examples (including listing all images in a group) are described here :-

<https://cistem.org/documentation#tab-1-16>

Thanks,

Tim







gayayadav

Hello Tim,

Hello Tim,

Thank you very much. This what I am looking for. I should look before.

Gaya

Thu, 10/31/2019 - 16:47 (Reply to #5)



gayayadav

changing Pixel size

Hello Tim,

By mistake I entered wrong pixel size when imported micrographs. Is there a way to change it in database so that I can run autorefine with correct pixel size?

Thank you

Gaya



Fri, 11/01/2019 - 14:05 (Reply to #6)



timgrant

Hi Gaya,

Hi Gaya,

If you used the wrong pixel size for CTF estimation, then any defocus values will be invalid for the auto-refine, and you will get very bad results if you just change the pixel size for the particles. You should re-import images with the correct pixel size and re-run the CTF estimation.

Cheers,

Tim





gayayadav

Thank you very much.

Thank you very much.







gayayadav

Is there a way to re-extract refined particles

Hello,

I have finished processing using binned micrographs (x2, pixel size 1.12) and resolution reached to kind of limiting value (Nyquest). Now I want to use unbinned images to increase the Nyquest limit.

What is the best way to go back and do processing with unbinned micrographs using the refined particles? So, I do not need to redo all the steps as CTF, particles picking and 2d classification.

Thanks

Gaya

[Log in](#) or [register](#) to post comments

---

**Source URL:** <https://cistem.org/grouping-bad-images>