



Published on *cisTEM* (<https://cistem.org>)

[Home](#) > Angular distribution in cisTEM

Angular distribution in cisTEM

Wed, 03/10/2021 - 04:03

#1

Stefano

Angular distribution in cisTEM

Hi!

I'm new to cisTEM (and to cryoEM in general). I have a question about the angular distribution plot in the refinement jobs. As I can see, only half of the distribution is shown (theta 0 to 90). Would be possible to obtain a full orientation distribution for asymmetric objects (such as the angdist.bild files in relion)?

And there is (or will be in the future) the option to perform some a posteriori particle refinement (per particle motion correction, defocus and ctf correction etc) or I need to use other packages? I didn't find anything in the documentation.

Thanks

Stefano

timgrant

Hi Stefano,

Hi Stefano,

Yes the other half is projected back onto the 0,90 as they are equivalent - for example 135,0 is equivalent to 45, 180. So you only need to see half the sphere to gauge your angular coverage.

If you want to see the true angles, you can go to results->3d refinement and click on the icon above the angular plot which looks like paper with a +. This will show you all the angles, and you can save them to a text file, but it won't plot them for you.

In the released cisTEM it is possible to do per particle defocus refinement by selecting it as an expert option in the manual refinement panel. In the development version there is a CTF refinement panel which handles per particle defocus refinement and beam tilt estimation. We do not have per particle motion correction.

Thanks!

Tim

Thu, 03/11/2021 - 02:58 (Reply to #2)

Stefano

Hi Tim,

Hi Tim,

thank a lot for your reply!

Stefano

[Log in](#) or [register](#) to post comments

Source URL:<https://cistem.org/angular-distribution-cistem>